

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1A




FIG. 1B




FIG. 1D




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8

Clone #13 (no PXR)**FIG. 9**




FIG. 10




FIG. 11

Effect of Serum, DMSO, and Rifampicin on Luciferase Activity





FIG. 12

Human Hepatocytes # 899
10 μ g RNA per well



Lane 1, DMSO with 0.1 μ M DEX
Lane 2, DMSO no DEX
Lane 3, 10 μ M DEX
Lane 4, 1 mM Phenobarbital
Lane 5, 10 μ M Rifampicin
Lane 6, 10 μ M Clotrimazole
Lane 7, 10 μ M RU486

1 2 3 4 5 6 7

FIG. 13




FIG. 14

3A4 Colony 13




FIG. 15

Colony 13 Drug Screen




FIG. 16




FIG. 17





FIG. 18

**FIG. 19**




FIG. 20




FIG. 21

FIG. 22

NR1

CYP2C19	-1895 AACCAAACTCTTCTTGACCCCAATCT	SEQ ID NO. 15
CYP2C9	-2900 AATGAACCCTATCATAAACTATGAG	SEQ ID NO. 35
CYP2B6	-1683 CCTGTACTTTCC.TGACCCCTGAA	SEQ ID NO. 36
CYP3A4	-7734 AATGAACCTTGC..TGACCCCTCTG	SEQ ID NO. 37

FIG. 23




FIG. 24




FIG. 25A




FIG. 25B





FIG. 26A

DRE12-6









FIG. 27



**FIG. 28A**

1. DMSO
2. Rif 10 μ M
3. Apigenin 10 μ M
4. Resveratrol 5 μ M
5. Curcumin 5 μ M
6. Quercetin 10 μ M
7. BNF 1 μ M
8. BNF 10 μ M
9. Omeprazole 100 μ M
10. Phenobarbital 1000 μ M

**FIG. 28B**

1. 3.1 ug/ml grapeseed extract
2. 31 ug/ml grapeseed extract
3. 10 ug/ml garlic
4. 100 ug/ml garlic
5. 10 ug kava-kava
6. 100 ug kava-kava
7. 10 ug/ml ginseng
8. 100 ug/ml ginseng
9. DMSO

FIG. 29




FIG. 30A

DPX-2




FIG. 30C




FIG. 30B





FIG. 31

FIG. 32A




FIG. 32B

FIG. 32C




FIG. 33A

RT-PCR for PXR Expression




FIG. 33B




FIG. 34A
Caco-2




FIG. 34B




FIG. 35A

Hep-PXR/Pgp-Luc





FIG. 35B

CaCO-PXR/Pgpluc 48 h treatment



■ Environmenta & Phytochemicals

FIG. 36

HepG/Pgp-Luc

